

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property
Organization
International Bureau



(43) International Publication Date
27 January 2005 (27.01.2005)

PCT

(10) International Publication Number
WO 2005/007887 A1

(51) International Patent Classification⁷: C12Q 1/68

(21) International Application Number:
PCT/GB2004/003086

(22) International Filing Date: 15 July 2004 (15.07.2004)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:
0316555.2 15 July 2003 (15.07.2003) GB
0328425.4 8 December 2003 (08.12.2003) GB

(71) Applicant and

(72) Inventor: DENSHAM, Daniel, Henry [GB/GB]; Mobi-
ous Genomics Ltd, Innovation Centre, University of Exeter,
Rennes Drive, Exeter EX4 4RN (GB).

(74) Agent: GILL JENNINGS & EVERY; Broadgate House,
7 Eldon Street, London EC2M 7LH (GB).

(81) Designated States (unless otherwise indicated, for every
kind of national protection available): AE, AG, AL, AM,

AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN,
CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI,
GB, GD, GE, GH, GM, HU, ID, IL, IN, IS, JP, KE,
KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD,
MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG,
PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM,
TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM,
ZW.

(84) Designated States (unless otherwise indicated, for every
kind of regional protection available): ARIPO (BW, GH,
GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM,
ZW), Eurasian (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM),
European (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI,
FR, GB, GR, HU, IE, IT, LU, MC, NL, PL, PT, RO, SE, SI,
SK, TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN, GQ,
GW, ML, MR, NE, SN, TD, TG).

Published:

— with international search report

For two-letter codes and other abbreviations, refer to the "Guid-
ance Notes on Codes and Abbreviations" appearing at the begin-
ning of each regular issue of the PCT Gazette.

WO 2005/007887 A1

(54) Title: MEASUREMENT OF A POLYNUCLEOTIDE AMPLIFICATION REACTION

(57) Abstract: A quantitative measurement of the progress of a polynucleotide amplification reaction can be made by: (i) carrying out a reaction for the amplification of a target polynucleotide; (ii) either during or after the amplification reaction contacting the amplified product with a molecule that binds to or interacts with a polynucleotide, the molecule being located in a spatially defined position or being determined via a non-linear or non-fluorescent technique; and (iii) detecting the interaction between the amplified product and the molecule by measuring changes in radiation.